

Ki Mobility Catalyst 5 Express Script



Customer Details					
Client					
Assessor					
Organisation					
	ACC		DSS		Other
User Weight					

Please note: If you only require specifications that fall under the Standard Express Package, you do not need to fill in the reverse page.

		Seat Width			
		14"	16"	18"	20"
Seat Depth	16"	☐	☐	☐	
	17"	☐	☐	☐	
	18"	☐	☐	☐	☐
	19"		☐	☐	☐
	20"		☐	☐	☐

Express Codes

☐	KICAT51416STD
☐	KICAT51616STD
☐	KICAT51618STD
☐	KICAT51816STD
☐	KICAT51818STD
☐	KICAT52018STD

* Size 16"x 18" & 18"x18" can be made from multiple frames. Check with TPS for preference.

Express Package: (Select optional specifications and alternatives on reverse)

- Transit tie downs
- Standard cross brace
- Depth and height adjustable backcane medium
- Tension adjustable back upholstery with standard cover
- 80° legrest hanger / front frame bend
- Extension tube hangers medium
- 4 way in line hanger release
- Aluminium angle adjustable footplates
- 5" castors - 1.5" soft roll aluminium
- Performance castor housing
- Push to lock flush wheel locks
- 24in Maxx Spoke Performance Pneumatic Black Wheels
- Ergo fit standard omit thumb grip
- Quick release axles
- Height adjustable T-arm armrests with desk arm pads
- Rear anti-tips
- Iridescent Navy Frame
- Centre of gravity - centre
- 2° Rear wheel camber

Please note: Express Package includes some upcharge products.

Choose Your Specifications (No additional codes are required on the below parts)							
Backrest Height				Rear Seat Height (must be filled in for both standard and non-standard express scripts)			
☐ 16"	☐ 17"	☐ 18"		☐ 15"	☐ 15.5"	☐ 16"	☐ 16.5"
☐ 19"	☐ 20"	☐ Refer to box #1		☐ 17"	☐ 17.5"	☐ 18"	☐ 18.5"
Front Seat Height				Seat to Footrest Length			
☐ 18"	☐ 18.5"	☐ 19"		☐ 13"	☐ 13.5"	☐ 14"	☐ 14.5"
☐ Refer to box #5				☐ 15"	☐ 15.5"	☐ 16"	☐ 16.5"
				☐ 17"	☐ Refer to box #4		

Other specifications are available on reverse as a non-standard express package

Optional Specifications														
Backrest Height 1	Armpad 6													
Swap to Tall <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 20%; text-align: center;">20"</td> <td style="border: 1px solid black; width: 20%; text-align: center;">21"</td> <td style="border: 1px solid black; width: 20%; text-align: center;">22"</td> </tr> <tr> <td style="border: 1px solid black; text-align: center;">23"</td> <td style="border: 1px solid black; text-align: center;">24"</td> <td></td> </tr> </table> Back Rest Tall (.ULCATBOPTL) If Upholstery is Required: <table style="width: 100%; border-collapse: collapse;"> <tr><td style="border: 1px solid black; padding: 2px;">16W 20-24" Tall upholstery (.ULCATBUPTA16)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">18W 20-24" Tall upholstery (.ULCATBUPTA18)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">20W 20-24" Tall upholstery (.ULCATBUPTA20)</td></tr> </table>	20"	21"	22"	23"	24"		16W 20-24" Tall upholstery (.ULCATBUPTA16)	18W 20-24" Tall upholstery (.ULCATBUPTA18)	20W 20-24" Tall upholstery (.ULCATBUPTA20)	Full length arm pad (.ULCATARPF) Height adj Tall T-Arm Assembly <table style="width: 100%; border-collapse: collapse;"> <tr><td style="border: 1px solid black; padding: 2px;">Short side shld and standard pad desk, 14-17 deep (.ULEXPTARSD)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Short side shld and standard pad full, 14-17 deep (.ULEXPTARSF)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Long side shld and standard pad desk, 18-20 deep (.ULEXPTARLD)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Long side shld and standard pad full, 18-20 deep (.ULEXPTARLF)</td></tr> </table>	Short side shld and standard pad desk, 14-17 deep (.ULEXPTARSD)	Short side shld and standard pad full, 14-17 deep (.ULEXPTARSF)	Long side shld and standard pad desk, 18-20 deep (.ULEXPTARLD)	Long side shld and standard pad full, 18-20 deep (.ULEXPTARLF)
20"	21"	22"												
23"	24"													
16W 20-24" Tall upholstery (.ULCATBUPTA16)														
18W 20-24" Tall upholstery (.ULCATBUPTA18)														
20W 20-24" Tall upholstery (.ULCATBUPTA20)														
Short side shld and standard pad desk, 14-17 deep (.ULEXPTARSD)														
Short side shld and standard pad full, 14-17 deep (.ULEXPTARSF)														
Long side shld and standard pad desk, 18-20 deep (.ULEXPTARLD)														
Long side shld and standard pad full, 18-20 deep (.ULEXPTARLF)														
Backrest Upholstery 2	Residual Limb Support 7													
Omit back upholstery	5" x 8" with smooth cover <table style="width: 100%; border-collapse: collapse;"> <tr><td style="border: 1px solid black; padding: 2px;">Left (.ULCATRLS5X8L)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Right (.ULCATRLS5X8R)</td></tr> </table> 7" x 10" with smooth cover <table style="width: 100%; border-collapse: collapse;"> <tr><td style="border: 1px solid black; padding: 2px;">Left (.ULCATRLS7X10L)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Right (.ULCATRLS7X10R)</td></tr> </table>	Left (.ULCATRLS5X8L)	Right (.ULCATRLS5X8R)	Left (.ULCATRLS7X10L)	Right (.ULCATRLS7X10R)									
Left (.ULCATRLS5X8L)														
Right (.ULCATRLS5X8R)														
Left (.ULCATRLS7X10L)														
Right (.ULCATRLS7X10R)														
Leg Hanger 3	Adjustable Heel Loops 8													
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 2px;">70° (.ULCATLEG70NAVY) ☐</td> <td style="border: 1px solid black; padding: 2px;">Omit Hanger</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">70° (.ULCATLEG70RED)</td> <td></td> </tr> </table>	70° (.ULCATLEG70NAVY) ☐	Omit Hanger	70° (.ULCATLEG70RED)		<table style="width: 100%; border-collapse: collapse;"> <tr><td style="border: 1px solid black; padding: 2px;">14-17W (.ULCATHL1417)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">18-20W (.ULCATHL1820)</td></tr> </table>	14-17W (.ULCATHL1417)	18-20W (.ULCATHL1820)							
70° (.ULCATLEG70NAVY) ☐	Omit Hanger													
70° (.ULCATLEG70RED)														
14-17W (.ULCATHL1417)														
18-20W (.ULCATHL1820)														
Leg Hanger 4	Wheel Locks 9													
Short (please specify): <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 2px;">11"</td> <td style="border: 1px solid black; padding: 2px;">11.5"</td> <td style="border: 1px solid black; padding: 2px;">12"</td> <td style="border: 1px solid black; padding: 2px;">12.5"</td> </tr> </table> 70° (.ULCATSTF70S) 80° (.ULCATSTF80S)	11"	11.5"	12"	12.5"	<table style="width: 100%; border-collapse: collapse;"> <tr><td style="border: 1px solid black; padding: 2px;">Push to lock mount (.ULCATWLKPTL)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Extension handles (.ULEXPWLKEXT) (Only available with above or grade aids)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Low profile scissor locks (.ULCATWLKLPS)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Grade aids (.ULCATWLKGA)</td></tr> </table>	Push to lock mount (.ULCATWLKPTL)	Extension handles (.ULEXPWLKEXT) (Only available with above or grade aids)	Low profile scissor locks (.ULCATWLKLPS)	Grade aids (.ULCATWLKGA)					
11"	11.5"	12"	12.5"											
Push to lock mount (.ULCATWLKPTL)														
Extension handles (.ULEXPWLKEXT) (Only available with above or grade aids)														
Low profile scissor locks (.ULCATWLKLPS)														
Grade aids (.ULCATWLKGA)														
Leg Hanger (please specify):	Push Rim Options (Standard Wheels) 10													
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 2px;">17.5"</td> <td style="border: 1px solid black; padding: 2px;">18"</td> <td style="border: 1px solid black; padding: 2px;">18.5"</td> <td style="border: 1px solid black; padding: 2px;">19"</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">19.5"</td> <td></td> <td></td> <td></td> </tr> </table> 70° (.ULCATSTF70L) 80° (.ULCATSTF80L)	17.5"	18"	18.5"	19"	19.5"				<table style="width: 100%; border-collapse: collapse;"> <tr><td style="border: 1px solid black; padding: 2px;">Plastic coated push rim (.ULEXPHRMPC)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Std aluminum push rim (.ULEXPHRMSALI)</td></tr> </table>	Plastic coated push rim (.ULEXPHRMPC)	Std aluminum push rim (.ULEXPHRMSALI)			
17.5"	18"	18.5"	19"											
19.5"														
Plastic coated push rim (.ULEXPHRMPC)														
Std aluminum push rim (.ULEXPHRMSALI)														
90 Hanger (please specify):	Natural Fit:													
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 2px;">5"</td> <td style="border: 1px solid black; padding: 2px;">6"</td> <td style="border: 1px solid black; padding: 2px;">7"</td> <td style="border: 1px solid black; padding: 2px;">8"</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">9"</td> <td style="border: 1px solid black; padding: 2px;">10"</td> <td style="border: 1px solid black; padding: 2px;">11"</td> <td></td> </tr> </table> 90° (.ULEXPLEG90NAVY) (.ULCATLEG90RED)	5"	6"	7"	8"	9"	10"	11"		Thumb grip regular (.ULEXPHRMTGREG)					
5"	6"	7"	8"											
9"	10"	11"												
Front Seat Height 5	Ergonomic Fit:													
with 6 x 1.5" Castors .ULCATFSH21 (use same code for all options below) <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 2px;">19.5"</td> <td style="border: 1px solid black; padding: 2px;">20"</td> <td style="border: 1px solid black; padding: 2px;">20.5"</td> <td style="border: 1px solid black; padding: 2px;">21"</td> </tr> </table> with 5 x 1.5" Castors <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 2px;">16" (.ULCATFSH16)</td> </tr> </table> .ULCATFSH165 (use same code for all options below) <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 2px;">16.5"</td> <td style="border: 1px solid black; padding: 2px;">17"</td> <td style="border: 1px solid black; padding: 2px;">17.5"</td> </tr> </table>	19.5"	20"	20.5"	21"	16" (.ULCATFSH16)	16.5"	17"	17.5"	<table style="width: 100%; border-collapse: collapse;"> <tr><td style="border: 1px solid black; padding: 2px;">Ergo Lite Regular (.ULEXPHRMELREG)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Short Tabs (.ULEXPHRMSTAB)</td></tr> </table>	Ergo Lite Regular (.ULEXPHRMELREG)	Short Tabs (.ULEXPHRMSTAB)			
19.5"	20"	20.5"	21"											
16" (.ULCATFSH16)														
16.5"	17"	17.5"												
Ergo Lite Regular (.ULEXPHRMELREG)														
Short Tabs (.ULEXPHRMSTAB)														

More non-standard express options, next page

Optional Specifications	
Rear Wheel Kit - Low profile tyres 11 Rear wheel kit (KIEXPWHL02) Includes the following: • Spinergy spox black 24" • Low profile - Schwalbe Marathon Plus Evolution 1" • Natural fit LT omit thumb grip OR 24" Maxx Spoke Low Profile Schwalbe Marathon Plus Ergo Lite Omit thumb grip (.ULEXP24MAXLPFEL) Plastic coated push rim (.ULEXPHRMPC) Std aluminum push rim (.ULEXPHRMSALI) Natural Fit: Std gr handrim for MAXX SP (.ULCATHRMNF02) Ergonomic Fit: Ergo Lite Regular (.ULEXPHRMELREG) Short Tabs (.ULEXPHRMSTAB)	Camber 12 0° 4° Centre of Gravity 13 Rear Forward PRO Elevated Legrest - Angle Adj. FP- Long 14 16/17 LHS (.ULCATELRLHS16) 18-25 LHS (.ULCATELRLHS18) 16/17 RHS (.ULCATELRRHS16) 18-25 RHS (.ULCATELRRHS18) Accessories 15 Composite side guards (not used with armrests) (.ULCATSDGC) Black neoprene impact guards (.ULCATIMG) Clear spoke guards (.ULCATSPGCL24)

Notes